


LowPro® Basic Plus Additional Sheet Foam



LowPro Basic



LowPro Plus



LowPro Basic Wall Assembly R-Value	
Component	R-Value
Interior Air Film	.68
½" Drywall	.45
LowPro Basic	7.0
Container Sidewall	0
Exterior Air Film	.17
Assembly R-Value*	R-8.3
Add R-Value of Additional Foam	

Sheet foam R-Values vary by manufacturer. Examples shown use polyiso foam. Verify manufacturer's specifications.


CX 44 Panel Plus Additional Sheet Foam



CX 44



CX 44 Plus




CX 44 Wall Assembly R-Value	
Component	R-Value
Interior Air Film	.68
½" Drywall	.45
CX 44 Panel	11.0
Container Sidewall	0
Exterior Air Film	.17
Assembly R-Value*	R-12.3
Add R-Value of Additional Foam	

Sheet foam R-Values vary by manufacturer. Examples shown use polyiso foam. Verify manufacturer's specifications.

Wood and Steel Framing 16" o.c.



Wood Framing



2x4 Framing with R-13 Wall Assembly R-Value		
Component	Framing R-Value	Cavity R-Value
Interior Air Film	.68	.68
½" Drywall	.45	.45
2x4 Stud	4.38	--
R-13 Fiberglass	--	13.0
Container Sidewall	0	0
Exterior Air Film	.17	.17
R-Value	5.68	14.30
% of Wall	25%	75%
Assembly Performance R-Value*	R-10.3	